





| CONTENTS                                       | 目 次                |    |
|--|--------------------|----|
| MISCELLANEOUS COVERS(1)                        | 機殼機構(1)            | 1  |
| MISCELLANEOUS COVERS(2)                        | 機殼機構(2)            | 2  |
| MISCELLANEOUS THREAD EYELETS                   | 過線機構               | 3  |
| MISCELLANEOUS BUSHINGS                         | 套管機構               | 4  |
| MAIN SHAFT DEIVING MECHANISM                   | 上主軸與針棒機構           | 5  |
| ONE SIDE CUT PRESSER FOOT MECHANISM            | 單切壓腳與壓腳驅動機構        | 6  |
| UPPER KNIFE CARRIER AND HOOK DRIVING MECHANISM | 上切刀及上勾針驅動機構        | 7  |
| LOOPER DEIVING MECHANISM                       | 下勾針驅動機構            | 8  |
| FEED DEIVING MECHANISM                         | 送料具驅動機構            | 9  |
| FEED DEIVING CONTROL MECHANISM                 | 送料具調節機構            | 10 |
| LUBRICATING MECHANISM                          | 給油機構               | 11 |
| DOBLE SIDE CUT PRESSER FOOT MECHANISM          | 雙切壓腳機構             | 12 |
| /SV/ DEVICE                                    | 伺服馬達機構             | 13 |
| /AT/ DEVICE                                    | 氣動抬壓腳機構            | 14 |
| /ET/ DEVICE                                    | 電動抬壓腳機構            | 15 |
| /AW/ DEVICE, C.SET (SELECT DEVICE)             | 外接式吸布屑組-AW1 (選擇配備) | 16 |
| THREAD STAND                                   | 線架組                | 17 |
| /CL/ DEVICE                                    | 普通馬達機構             | 18 |
| ATTACHMENT BOX                                 | 附件盒                | 19 |
| ACCESSORIES                                    | 附件箱                | 20 |
| /CL//AW/ DEVICE, C.SET (SELECT DEVICE)         | 外接式吸布屑組-AW2(選擇配備)  | 21 |
| EXCLUSIVE PARTS                                | 貼條專用零件             | 22 |
| STITCH LENGTH SPECIFICATION                    | 針距規格表              | 23 |
|  |                    |    |




| MISCELLANEOUS COVERS (1) |                | 機殼機構(1)                                   |                     |             |
|--------------------------|----------------|---|---------------------|-------------|
| Ref.                     | Parts          |   |                     | Amt.        |
| <u>No.</u>               | <u>No.</u>     | Description                               | 品名                  | <u>Req.</u> |
| 1                        | P1-1           | Crank Chamber Cover                       | 曲軸室上蓋               | 1           |
| 2                        | P1-2           | Crank Chamber Cover Gasket                | 曲軸室墊片               | 1           |
| 3                        | P1-3           | Screw(11/64-40X11)                        | 螺絲                  | 5           |
| 4                        | P1-4           | Screw(M12-1.75X9)                         | 螺絲                  | 2           |
| 5                        | P1-5           | O-Ring                                    | 0型橡膠環               | 2           |
| 5                        | P1-6           | Oil Sight Top Window                      | <br>上油鏡             | 2           |
| 7                        | P1-7           | Screw (9/64-40X11.3)                      | 螺絲                  | 10          |
| 3                        | P1-8           | Top Cover (Middle)                        | 上蓋(中)               | 1           |
| )                        | P1-9           | Screw (11/64-40X6.5)                      | 螺絲                  | 2           |
| 0                        | P1-10          | Nut                                       | 螺帽                  | 2           |
| 1                        | P1-11          | Screw (9/64-40X5.6)                       |                     | 4           |
| 2                        | P1-12          | Top Cover (Middle) Spring                 | 上蓋(中)彈簧             | 1           |
| 3                        | P1-13          | Nut                                       | 螺帽                  | 2           |
| 4                        | P1-14          | Top Cover (Middle) Hinge                  | 上蓋板(中)活動板           | 1           |
| 5                        | P1-15          | Screw (9/64-40X6)                         | 螺絲                  | 7           |
| 6                        | P1-16          | Top Cover (Front)                         | 上蓋(前)               | 1           |
| 7                        | P1-17          | Rivet                                     | <u>一</u> 血(加)<br>鉚釘 | 2           |
| 8                        | P1-18          | Top Cover (Front) Gasket                  | 上蓋墊片(前)             | 1           |
| 9                        | P1-19          | Screw (5/16-24X32)                        | 螺絲                  | 3           |
| 20                       | P1-20          | Washer                                    | 垫片                  | 3           |
| 21                       | P1-21          | Emblem                                    |                     | 1           |
| 22                       | P1-22          | Warning Sticker                           | 警告貼紙                | 1           |
| 23                       | P1-23          | Machine Frame End Cover Gasket            | 防油垫片                | 1           |
| 24                       | P1-24          | Machine Frame End Cover                   | 防油蓋                 | 1           |
| 25                       | P1-25          | Looper Lever Shaft Cover Gasket           | 防油墊片                | 1           |
| 26                       | P1-26          | Looper Lever Shaft Cover                  | 防油蓋                 | <br>1       |
| .7                       | P1-27          | Screw (9/64-40X5)                         | 螺絲                  | 10          |
| 8                        | P1-28          | O-Ring                                    | 0型橡膠環               | 3           |
| .o<br>:9                 | P1-29          | Drain Hole Screw (3/8-24X8)               | 止油螺絲                | 1           |
| 0                        | P1-30          | Plug Screw(M14-1X4)                       | 止油螺絲                | 2           |
| <u> </u>                 | P1-31          | Screw (1/4-28X32.5)                       |                     | 2           |
| 52                       | P1-32          | Washer                                    |                     | 2 3         |
| 3                        | P1-33          | Crank Chamber Cover Oil Shield            | 亚月<br>防油鐵片          | 1           |
| 4                        | P1-34          | Oil Seal Plug                             | 膠墊                  | 1           |
| 5                        | P1-34<br>P1-35 | Sewing Head Oil Defense                   | 修型<br>防油板           | 1           |
| , <u>,</u><br>6          | P1-36          | Sewing Head Key                           |                     | 2           |
| 57                       | P1-30<br>P1-37 | Serving Head Key<br>Screw (9/64-40X8.5)   | 機殼固定塊               |             |
| 57<br>58                 |                |   | 螺絲                  | 2           |
|                          | P1-38          | Screw (1/4-28X20)                         | 螺絲                  | 1           |
| 9<br>10                  | P1-39          | Pin<br>Knife Driving Connection Oil Cuard | 插銷                  | 1           |
| 0                        | P1-40          | Knife Driving Connection Oil Guard        | 油槽                  | 1           |

| MISCH      | <u>ELLANEOU</u> | S COVERS (1)                                  | 機殼機構(1) | 1    |
|------------|-----------------|---|---------|------|
| Ref.       | Parts           |   |         | Amt. |
| <u>No.</u> | <u>No.</u>      | Description                                   | 品名      | Req. |
| 41         | P1-41           | Knife Driving Connection Felt                 | 油棉墊     | 1    |
| 42         | P1-42           | Thread Carrier And Hook Driving Rod Oil Guard | 防油鐵片    | 1    |
| 43         | P1-43           | Screw (9/64-40X8)                             | 螺絲      | 2    |
| 44         | P1-44           | Seal  | 墊片      | 2    |
| 45         | P1-45           | Nut   | 螺母      | 2    |
| 46         | P1-46           | Sewing Head Cover(Left)                       | 車頭蓋     | 1    |
| 47         | P1-47           | Emblem  | 銘牌      | 1    |
| 48         | P1-48           | Seal Plug                                     | 油塞      | 1    |
| 49         | P1-49           | Seal Plug                                     | 油塞      | 1    |
| 50         | P1-50           | Oil Guide Wire                                | 油線導勾    | 1    |
| 51         | P1-51           | Crank Chamber Cover, C. Set                   | 曲軸室上蓋組  | 1    |
| 52         | P1-52           | Top Cover (Middle), C. Set                    | 上蓋(中)組  | 1    |
| 53         | P1-53           | Top Cover (Front), C. Set                     | 上蓋(前)組  | 1    |
| 54         | P1-54           | Knife Driving Connection Oil Guard, C. Set    | 油槽組     | 1    |
| 55         | P1-55           | Sewing Head Cover Gasket                      | 止油墊片    | 1    |
| 56         | P1-56           | Sewing Head Cover Gasket(Front)               | 車頭前蓋    | 1    |
| 57         | P1-57           | Needle Thrad Take-up Guard                    | 護蓋      | 1    |
| 58         | P1-58           | Screw(M4-0.7X8)                               | 螺絲      | 2    |
| 59         | P1-59           | Machine Frame                                 | 機殼      | 1    |
| 60         | P1-60           | Machine Frame                                 | 機殼      | 1    |
| 61         | P1-61           | Sewing Head Cover(Left), C. Set               | 車頭蓋組    | 1    |
| 62         | P1-62           | Sewing Head Cover Gasket(Front), C. Set       | 車頭前蓋組   | 1    |




| MISCI      | MISCELLANEOUS COVERS (2) |                                      | 機殼機構(2) | 2           |
|------------|--------------------------|--------------------------------------|---------|-------------|
| Ref.       | Parts                    |                                      |         |             |
| <u>No.</u> | <u>No.</u>               | Description                          | 品名      | <u>Req.</u> |
| 1          | P2-1                     | Sewing Cylinder                      | 圓筒部機殼   | 1           |
| 2          | P2-2                     | Sewing Cylinder Gasket               | 止油銅墊片   | 1           |
| 3          | P2-3                     | Alignment Pin                        | 調節插銷    | 1           |
| 4          | P2-4                     | Knock Pin                            | 頂出銷     | 1           |
| 5          | P2-5                     | Screw(3/8-24X5.4)                    | 螺絲      | 1           |
| 6          | P2-6                     | Seal Gasket                          | 止油墊片    | 1           |
| 7          | P2-7                     | Cylinder Frame Cover (Front)         | 前蓋      | 1           |
| 8          | P2-8                     | Screw (9/64-40X8)                    | 螺絲      | 10          |
| 9          | P2-9                     | Oil Gauge                            | 油錶      | 1           |
| 10         | P2-10                    | Screw (M22-1.5X5.7)                  | 螺絲      | 1           |
| 11         | P2-11                    | O-Ring                               | 0型橡膠環   | 1           |
| 12         | P2-12                    | Seal Gasket                          | 止油墊片    | 1           |
| 13         | P2-13                    | Cylinder Frame Cover (Left)          | 左蓋      | 1           |
| 14         | P2-14                    | Oil Gauge, C.Set                     | 油錶組     | 1           |
| 15         | P2-15                    | Model Plate                          | 型號銘牌    | 1           |
| 16         | P2-16                    | Cylinder Frame Cover (Upper)         | 上蓋      | 1           |
| 17         | P2-17                    | Seal Gasket                          | 止油墊片    | 1           |
| 18         | P2-18                    | Screw (1/8-44X6.5)                   | 螺絲      | 8           |
| 19         | P2-19                    | Dust Defender (Upper)                | 防塵蓋(上)  | 1           |
| 20         | P2-20                    | Screw (3/32-56X1.55)                 | 螺絲      | 1           |
| 21         | P2-21                    | Dust Defender (Lower)                | 防塵蓋(下)  | 1           |
| 22         | P2-22                    | Pin                                  | 插銷      | 2           |
| 23         | P2-23                    | Looper Cover Spring Support          | 彈簧片座    | 1           |
| 24         | P2-24                    | Screw (11/64-40X5)                   | 螺絲      | 1           |
| 25         | P2-25                    | Looper Cover Spring                  | 下勾針蓋彈簧片 | 1           |
| 26         | P2-26                    | Screw (9/64-40X5)                    | 螺絲      | 1           |
| 27         | P2-27                    | Lopper Cover                         | 下勾針蓋    | 1           |
| 28         | P2-28                    | Pin                                  | 插銷      | 1           |
| 29         | P2-29                    | Screw (9/64-40X5.7)                  | 螺絲      | 1           |
| 30         | P2-30                    | Chain-off Cutting Knife              | 割刀固定片   | 1           |
| 31         | P2-31                    | Chain-off Cutting Knife Guard        | 割刀      | 1           |
| 32         | P2-32                    | Screw (M4-0.7X4.5)                   | 螺絲      | 1           |
| 33         | P2-33                    | Screw (M4-0.7X5.7)                   | 螺絲      | 1           |
| 34         | P2-34                    | Looper Thread Guide Wire             | 過線圈     | 1           |
| 35         | P2-35                    | Screw (9/64-40X8)                    | 螺絲      | 1           |
| 36         | P2-36                    | Feed Drive Shaft Cover Gasket        | 止油墊片    | 2           |
| 37         | P2-37                    | Feed Drive Shaft Cover               | 止油蓋     | 2           |
| 38         | P2-38                    | Screw (9/64-40X7)                    | 螺絲      | 6           |
| 39         | P2-39                    | Looper Cover Spring Support, C. Set  | 彈簧片座組   | 1           |
| 40         | P2-40                    | Cylinder Frame Cover (Upper), C. Set | 上蓋組     | 1           |




| MISCI      | ELLANEOU   | S THREAD EYELETS                | 過線機構      | 3           |
|------------|------------|---------------------------------|-----------|-------------|
| Ref.       | Parts      |                                 |           |             |
| <u>No.</u> | <u>No.</u> | <u>Description</u>              | 品名        | <u>Req.</u> |
| 1          | P3-1       | Thread Guide Plate              | 線架板       | 1           |
| 2          | P3-2       | Screw (11/64-40X8.3)            | 螺絲        | 12          |
| 3          | P3-3       | Thread Eyelet                   | 過線孔       | 4           |
| 4          | P3-4       | Thread Pipe (Long)              | 過線管(長)    | 1           |
| 5          | P3-5       | Thread Pipe (Short)             | 過線管(短)    | 1           |
| 6          | P3-6       | Warning Sticker                 | 警告貼紙      | 1           |
| 7          | P3-7       | Screw (M4-0.7X8)                | 螺絲        | 2           |
| 8          | P3-8       | Thread Guide Plate, C. Set      | 線架板組      | 1           |
| 9          | P3-9       | Thread Guide Plate Support      | 線架板支撐棒    | 2           |
| 10         | P3-10      | Screw (11/64-40X7)              | 螺絲        | _2          |
| 11         | P3-11      | Thread Tension Support          | 上線張力固定座   | 1           |
| 12         | P3-12      | Thread Tension Support Bracket  | 上線張力固定座支架 | 2           |
| 13         | P3-13      | Screw (7/32-32X9.5)             | 螺絲        | 4           |
| 14         | P3-14      | Screw (1/8-44X6.4)              | 螺絲        | 1           |
| 15         | P3-15      | Tension Release Shaft Spring    | 張力釋放軸彈簧   | 1           |
| 16         | P3-16      | Tension Release Shaft           | 張力釋放軸     | 1           |
| 17         | P3-17      | Nut                             | 彈簧調整鈕     | 6           |
| 18         | P3-18      | Tension Spring Bushing          | 張力彈簧調整固定軸 | 6           |
| 19         | P3-19      | Looper Thread Tension Spring    | 下勾針張力彈簧   | 1           |
| 20         | P3-20      | Top Cover Thread Tension Spring | 上飾線張力彈簧   | 1           |
| 21         | P3-21      | Needle Thread Tension Spring    | 針線張力彈簧    | 4           |
| 22         | P3-22      | Tension Release Pin Bushing     | 張力釋放插銷套管  | 7           |
| 23         | P3-23      | Thread Tension Disc             | 張力調整盤     | 12          |
| 24         | P3-24.     | Thread Tension Disc Eyelet      | 張力調整過線架   | 3           |
| 25         | P3-25      | Tension Post                    | 張力彈簧支柱    | 6           |
| 26         | P3-26      | Tension Release Pin             | 張力釋放插銷    | 7           |
| 27         | P3-27      | SP Device, C. Set               | 針線矽油組     | 1           |
| 28         | P3-28      | Oil Cup Lip                     | 矽油儲存槽蓋    | 1           |
| 29         | P3-29      | Hinge Pin                       | 鉸鏈插銷      | 1           |
| 30         | P3-30      | SP Felt                         | SP矽油氈     | 4           |
| 31         | P3-31      | SP Felt Stay                    | SP矽油氈支柱   | 1           |
| 32         | P3-32      | Oil Wick                        | 油芯        | 1           |
| 33         | P3-33      | SP Container                    | 矽油儲存槽     | 1           |
| 34         | P3-34      | SP Container Support            | 矽油儲存槽固定座  | 1           |
| 35         | P3-35      | Screw (9/64-40X4.6)             | 螺絲        | 2           |
| 36         | P3-36      | Thread Take-up Eyelet Holder    | 提線桿托架     | 1           |
| 37         | P3-37      | Thread Take-up Eyelet           | 提線桿       | 1           |
| 38         | P3-38      | Screw (1/8-44X6.5)              | 螺絲        | 1           |
| 39         | P3-39      | Looper Thread Take-up Guide     | 下勾針提線桿護架  | 1           |
| 40         | P3-40      | Screw (1/8-44X4.3)              | 螺絲        | 4           |

| MISCE      | ELLANEOU   | S THREAD EYELETS                            | 過線機構      |             |
|------------|------------|---|-----------|-------------|
| Ref.       | Parts      |   |           |             |
| <u>No.</u> | <u>No.</u> | Description                                 | 品名        | <u>Req.</u> |
| 41         | P3-41      | Looper Thread Take-up Eyelet(Front)         | 下勾針提線桿(前) | 1           |
| 42         | P3-42      | Looper Thread Take-up Eyelet(Rear)          | 下勾針提線桿(後) | 1           |
| 43         | P3-43      | Screw (3/32-56X3.2)                         | 螺絲        | 4           |
| 44         | P3-44      | Eyelet Supporting Plate                     | 提線桿固定板    | 1           |
| 45         | P3-45      | Looper Thread Guard                         | 下勾針線導架    | 1           |
| 46         | P3-46      | Top Cover Thread Pipe                       | 上飾線過線導管   | 1           |
| 47         | P3-47      | Looper Thread Guide Wire (Upper)            | 下勾針線導架金屬線 | 1           |
| 48         | P3-48      | Needle Thread Strike-off Pin Holder Bracket | 過線張力固定架   | 1           |
| 49         | P3-49      | Needle Thread Strike-off Pin                | 過線張力調整片   | 4           |
| 50         | P3-50      | Screw (1/8-44X2)                            | 螺絲        | 4           |
| 51         | P3-51      | Needle Thread Strike-off Pin Holder         | 過線張力調整片架  | 1           |
| 52         | P3-52      | Screw (3/32-56X6.2)                         | 螺絲        | 2           |
| 53         | P3-53      | Needle Thread Guide Wire                    | 針線導架金屬線   | 1           |
| 54         | P3-54      | Head Cover Thread Eyelet                    | 上飾線過線片    | 1           |
| 55         | P3-55      | Screw (1/8-44X4.4)                          | 螺絲        | 1           |
| 56         | P3-56      | Needle Thread Eyelet Holder                 | 針線張力調整桿座  | 1           |
| 57         | P3-57      | Screw (11/64-40X13)                         | 螺絲        | 1           |
| 58         | P3-58      | Needle Thread Eyelet                        | 針線張力調整桿   | 4           |
| 59         | P3-59      | Stitch Unlocker Mounting Bracket            | 跳線彈簧架     | 1           |
| 60         | P3-60      | Screw (11/128-56X3)                         | 螺絲        | 1           |
| 51         | P3-61      | Screw (1/8-44X5.9)                          | 螺絲        | 1           |
| 62         | P3-62      | Stitch Unlocking Spring                     | 跳線彈簧      | 1           |
| 63         | P3-63      | Stitch Unlocking Spring Holder              | 跳線彈簧調整固定鈕 | 1           |
| 64         | P3-64      | Needle Bracket                              | 過線支撐架     | 1           |
| 65         | P3-65      | Screw (1/8-44X3.4)                          | 螺絲        | 4           |
| 66         | P3-66      | Screw (1/8-44X5.4)                          | 螺絲        | 1           |
| 57         | P3-67      | Screw (1/8-44X2.7)                          | 螺絲        | 2           |
| 68         | P3-68      | Thread Guide, C. Set                        | 線架組       | 1           |
| 69         | P3-69      | Eyelet Supporting Plate, C. Set             | 提線桿固定板組   | 1           |
| 70         | P3-70      | Needle Bracket, C. Set                      | 過線支撐架組    | 1           |
| 71         | P3-71      | Needle Thread Strike-off Pin Holder, C. Set | 過線張力調整片架組 | 1           |
| 72         | P3-72      | SP Felt Stay, C. Set                        | SP矽油氈支柱組  | 1           |
| 73         | P3-73      | Thread Take-up Eyelet Holder, C. Set        | 提線桿托架組    | 1           |




| MISCE      | LLANEOUS   | BUSHINGS                                    | 套管機構         | 4           |
|------------|------------|---|--------------|-------------|
| Ref.       | Parts      |   |              | Amt.        |
| <u>No.</u> | <u>No.</u> | Description                                 | 品名           | <u>Req.</u> |
| 1          | P4-1       | Adapter, C. Set                             | 軸承組          | 1           |
| 2          | P4-2       | Adapter                                     | 軸承軸心         | 1           |
| 3          | P4-3       | Screw (M5-0.8X5)                            | 螺絲           | 2           |
| 4          | P4-4       | Ball Bearing                                | 軸承           | 1           |
| 5          | P4-5       | Bearing Housing                             | 軸承固定室        | 1           |
| 6          | P4-6       | Screw (3/16-32X11.5)                        | 螺絲           | 4           |
| 7          | P4-7       | Bearing Housing Gasket                      | 軸承固定室墊片      | 1           |
| 8          | P4-8       | Oil Seal                                    | 油封           | 4           |
| 9          | P4-9       | Crankshing Bushing (Front)                  | 主軸套管(前)      | 1           |
| 10         | P4-10      | Main Shaft Bushing (Rear)                   | 主軸套管(後)      | 1           |
| 11         | P4-11      | Main Shaft Bushing (Front)                  | 主軸套管(前)      | 1           |
| 12         | P4-12      | Oil Wick (Woollen Yarn)                     | 油芯           | 2           |
| 13         | P4-13      | Oil Wick (Laced Wire)                       | 油芯           | 1           |
| 14         | P4-14      | Knife Driving Lever Bushing (Rear)          | 銅套管(後)       | 1           |
| 15         | P4-15      | Knife Driving Lever Bushing (Front)         | 銅套管(前)       | 1           |
| 16         | P4-16      | Presser Foot Lifter Stop Plunger Bushing    | 襯套           | 1           |
| 17`        | P4-17      | Looper Driving Lever Shaft Bushing          | 下勾針驅動軸套管     | 1           |
| 18         | P4-18      | Oil Wick                                    | 油芯           | 1           |
| 19         | P4-19      | Seal Ping                                   | 密封塞          | 1           |
| 20         | P4-20      | Oil Wick                                    | 油芯           | 1           |
| 21         | P4-21      | Screw (11/64-40X8.3)                        | 螺絲           | 1           |
| 22         | P4-22      | Plastic Pipe                                | 塑膠管          | 1           |
| 23         | P4-23      | Presser Bar Bushing                         | 壓腳套管         | 1           |
| 24         | P4-24      | Needle Bar Bushing(Upper)Lid                | 針柱套管(上)蓋     | 1           |
| 25         | P4-25      | Gasket                                      | <u> </u>     | 1           |
| 26         | P4-26      | Needle Bar Bushing(Upper)                   | 針柱套管(上)      | 1           |
| 27         | P4-27      | Needle Bar Bushing(Lower)                   | 針柱套管(下)      | 1           |
| 28         | P4-28      | Oil Seal                                    | 油封           | 1           |
| 29         | P4-29      | Looper Rocker Shaft Bushing (Front)         | 下勾針搖桿軸套管(前)  | 1           |
| 30         | P4-30      | Looper Rocker Shaft Bushing (Rear)          | 下勾針搖桿軸套管(後)  | 1           |
| 31         | P4-31      | Oil Seal                                    | 油封           | 2           |
| 32         | P4-32      | Feed Bar Eccentric Pin Bushing              | 送料具偏心銷套管     | 1           |
| 33         | P4-33      | O-Ring                                      | 0形橡膠環        | 2           |
| 34         | P4-34      | Bearing Housing, C. Set                     | 軸承固定室組       | 1           |
| 35         | P4-35      | Knife Driving Lever Bushing (Rear), C. Set  | 銅套管(後)組      | 1           |
| 36         | P4-36      | Knife Driving Lever Bushing (Front), C. Set | 銅套管(前)組      | 1           |
| 37         | P4-37      | Looper Rocker Shaft Bushing (Rear), C. Set  | 下勾針搖桿軸套管(後)組 | 1           |



| MAIN SHAFT DEIVING MECHANISM |            | 上主軸與針棒機構                                    | 5         |             |
|------------------------------|------------|---|-----------|-------------|
| Ref.                         | Parts      |   |           | Amt.        |
| <u>No.</u>                   | <u>No.</u> | Description                                 | 品名        | <u>Req.</u> |
| 1                            | P5-1       | Main Shaft                                  | 主軸        | 1           |
| 2                            | P5-2       | O-ring                                      | 0型橡膠環     | 1           |
| 3                            | P5-3       | Looper Thread Take-Up                       | 底線提線凸輪    | 1           |
| 4                            | P5-4       | Top Cover Thread Take-Up                    | 上飾線提線凸輪   | 1           |
| 5                            | P5-5       | Screw (7/32-32X3.6)                         | 螺絲        | 4           |
| 6                            | P5-6       | Positioning Screw (1/8-44X4)                | 螺絲        | 2           |
| 7                            | P5-7       | Collar                                      | 軸環        | 2           |
| 8                            | P5-8       | Screw (11/64-40X6)                          | 螺絲        | 4           |
| 9                            | P5-9       | Main Shaft Coupling, C. Set                 | 主軸連接組     | 1           |
| 10                           | P5-10      | O-ring                                      | 0型橡膠環     | 1           |
| 11                           | P5-11      | Main Shaft Coupling                         |           | 1           |
| 12                           | P5-12      | Thread Carrier and Hook Driving Rod, C. Set | 驅動刀組連桿組   | 1           |
| 13                           | P5-13      | Screw (1/4-28X6.3)                          | 螺絲        | 6           |
| 14                           | P5-14      | Pump Driving Gear                           | 泵浦九齒      | 1           |
| 15                           | P5-15      | Screw (1/8-44X6)                            | 螺絲        | 3           |
| 16                           | P5-16      | Crankshaf                                   | <br>曲軸    | 1           |
| 17                           | P5-17      | Needle Bearing                              | 滾針軸承      | 1           |
| 18                           | P5-18      | Thread Carrier and Hook Driving Rod (Right) | 驅動刀組連桿軸承套 | 1           |
| 19                           | P5-19      | Needle Bearing Retaining Plate              | 滾針軸承扣板    | 1           |
| 20                           | P5-20      | Screw (9/64-40X4.8)                         | 螺絲        | 2           |
| 21                           | P5-21      | Pulley                                      | 皮带輪       | 1           |
| 22                           | P5-22      | Screw (1/4-28X10)                           | 螺絲        | 2           |
| 23                           | P5-23      | Needle Bar Lever Connecting Rod             | 針柱槓桿連桿    | 1           |
| 24                           | P5-24      | Screw (3/16-32X14)                          | 螺絲        | 2           |
| 25                           | P5-25      | Needle Bearing                              | 滾針軸承      | 1           |
| 26                           | P5-26      | Needle Bar Lever Connecting Rod Pin         | 針柱槓桿連桿插銷  | 1           |
| 27                           | P5-27      | Oil Wick                                    | 油芯        | 1           |
| 28                           | P5-28      | Screw (9/64-40X12)                          | 螺絲        | 2           |
| 29                           | P5-29      | Needle Bar Lever                            | 針柱槓桿      | 1           |
| 30                           | P5-30      | Main Shaft, C. Set                          | 主軸組       | 1           |
| 31                           | P5-31      | Retaining Ring                              | C形扣環      | 1           |
| 32                           | P5-32      | Thrust Ring                                 | 墊片        | 1           |
| 33                           | P5-33      | Needle Bar Connecting Link                  | 針柱連桿      | 1           |
| 34                           | P5-34      | Needle Bar Connecting Link Pin              | 針柱連桿插銷    | 2           |
| 35                           | P5-35      | Oil Wick                                    | 吸油繩       | 2           |
| 36                           | P5-36      | Screw (1/8-44X5)                            | 螺絲        | 2           |
| 37                           | P5-37      | Needle Bar Connecting Bracket               | 針柱連結架     | 1           |
| 38                           | P5-38      | Screw (9/64-40X6.4)                         | 螺絲        | 4           |
| 39                           | P5-39      | Needle Bar                                  | 針柱        | 1           |
| 40                           | P5-40      | Needle Clamp                                | 針鎦        | 1           |

| MAIN SHAFT DEIVING MECHANISM |            | 上主軸與針棒機構                         | 5        |             |
|------------------------------|------------|----------------------------------|----------|-------------|
| Ref.                         | Parts      |                                  |          | Amt.        |
| <u>No.</u>                   | <u>No.</u> | Description                      | 品名       | <u>Req.</u> |
| 41                           | P5-41      | Needle                           | 擊針       | 4           |
| 42                           | P5-42      | Retainer                         | 假針       | 1           |
| 43                           | P5-43      | Screw (3/32-56X2.5)              | 螺絲       | 5           |
| 44                           | P5-44      | Stitch Plate                     | 針板       | 1           |
| 45                           | P5-45      | Stitch Plate Tongue              | 針板舌片     | 1           |
| 46                           | P5-46      | Screw (3/32-56X2)                | 螺絲       | 1           |
| 47                           | P5-47      | Needle Bar Lever, C. Set         | 針棒組      | 1           |
| 48                           | P5-48      | Collar                           | 軸環       | 1           |
| 49                           | P5-49      | Screw (M5-0.8X5)                 | 螺絲       | 4           |
| 50                           | P5-50      | Looper Thread Take-Up, C. Set    | 底線提線凸輪組  | 1           |
| 51                           | P5-51      | Top Cover Thread Take-Up, C. Set | 上飾線提線凸輪組 | 1           |
| 52                           | P5-52      | Collar, C. Set                   | 軸環組      | 2           |
| 53                           | P5-53      | Pulley, C. Set                   | 皮带輪組     | 1           |
| 54                           | P5-54      | Collar, C. Set                   | 軸環組      | 1           |
| 55                           | P5-55      | Needle Clamp, C.Set              | 針鎦組      | 1           |
| 56                           | P5-56      | Stitch Plate, C. Set             |          | 1           |
| 57                           | P5-57      | Needle Bar, C. Set               | 針柱組      | 1           |




## ONE SIDE CUT PRESSER FOOT MECHANISM

單切壓腳與壓腳驅動機構

| Ref.       | Parts      |  |           | Amt.        |
|------------|------------|--|-----------|-------------|
| <u>No.</u> | <u>No.</u> | <u>Description</u>                     | 品名        | <u>Req.</u> |
| 1          | P6-1       | Adjusting Screw (M12-1X17)             | 調節螺絲      | 1           |
| 2          | P6-2       | Lock Nut                               | 保險螺帽      | 1           |
| 3          | P6-3       | Presser Spring                         | 壓腳彈簧      | 1           |
| 4          | P6-4       | Presser Bar Connecting Bracket         | 壓腳推桿連結架   | 1           |
| 5          | P6-5       | Screw (11/64-40X10.3)                  | 螺絲        | 1           |
| 6          | P6-6       | Presser Foot Adjusting Screw           | 壓腳調節彈簧    | 1           |
| 7          | P6-7       | Pin                                    | 插銷        | 1           |
| 8          | P6-8       | Connecting Bracket Cushion             | 連結架襯墊     | 1           |
| 9          | P6-9       | Presser Bar Guide                      | 壓腳導件      | 1           |
| 10         | P6-10      | Lock Nut                               | 保險螺帽      | 1           |
| 11         | P6-11      | Adjusting Nut                          | 調節螺帽      | 1           |
| 12         | P6-12      | Screw (M6-1X8)                         | 螺絲        | 1           |
| 13         | P6-13      | Presser Bar                            | 壓腳推桿      | 1           |
| 14         | P6-14      | One Side Cut Presser Foot, C. Set      | 單切壓腳組     | 1           |
| 15         | P6-15      | One Side Cut Presser Foot              | 單切壓腳      | 1           |
| 16         | P6-16      | Screw (11/64-40X6.3)                   | 螺絲        | 1           |
| 17         | P6-17      | Carrier/Hook Driving Segment           | 上勾針驅動扇形片  | 1           |
| 18         | P6-18      | Carrier/Hook Driving Lever Link        | 上勾針驅動連桿   | 2           |
| 19         | P6-19      | Link Pin                               | 連桿插銷      | 4           |
| 20         | P6-20      | Screw (3/32-56X3.3)                    | 螺絲        | 4           |
| 21         | P6-21      | Thread Hook Driving Lever              | 勾針驅動槓桿    | 1           |
| 22         | P6-22      | Top Cover Thread Hook                  | 上飾線過線勾    | 1           |
| 23         | P6-23      | Screw (9/64-40X6.8)                    | 螺絲        | 1           |
| 24         | P6-24      | Top Cover Thread Carrier Driving Lever | 上飾線托架驅動槓桿 | 1           |
| 25         | P6-25      | Top Cover Thread Carrier               | 上飾線托架     | 1           |
| 26         | P6-26      | Screw (1/8-44X5)                       | 螺絲        | 2           |
| 27         | P6-27      | Presser Foot Attach Piece (Right)      | 壓腳連接片(右)  | 1           |
| 28         | P6-28      | Presser Foot Attach Piece (Left)       | 壓腳連接片(左)  | 1           |
| 29         | P6-29      | Screw(3/32-56X1.5)                     | 螺絲        | 4           |
| 30         | P6-30      | Lower Knife                            | 下切刀       | 1           |
| 31         | P6-31      | Lower Knife Clamp                      | 下切刀夾板     | 1           |
| 32         | P6-32      | Screw (1/8-44X3.5)                     | 螺絲        | 1           |
| 33         | P6-33      | Yielding Section Spring                | 小壓具彈簧     | 1           |
| 34         | P6-34      | Yielding Section                       | 小壓具       | 1           |
| 35         | P6-35      | Chip Guard Plate                       | 切角防護片座    | 1           |
| 36         | P6-36      | Presser Foot Spring Plate (Left)       | 壓腳彈簧片(左)  | 1           |
| 37         | P6-37      | Presser Foot Spring Plate (Right)      | 壓腳彈簧片(右)  | 1           |
| 38         | P6-38      | Screw (3/32-56X2)                      | 螺絲        | 1           |
| 39         | P6-39      | Spring Plate Holder                    | 彈簧片固定鐵勾   | 1           |
| 40         | P6-40      | Chip Guard                             | 切角防護片     | 1           |


<u>6</u>

| Ref.       | Parts      |  |             | Amt. |
|------------|------------|--|-------------|------|
| <u>No.</u> | <u>No.</u> | Description                              | 品名          | Req. |
| 41         | P6-41      | Chip Guard Spring                        | 切角防護片彈簧     | 1    |
| 42         | P6-42      | Screw (1/8-44X3.4)                       | 螺絲          | 1    |
| 43         | P6-43      | Presser Foot Guide (Right)               | 壓腳導件(右)     | 1    |
| 44         | P6-44      | Screw (M5-0.8X12)                        | 螺絲          | 1    |
| 45         | P6-45      | Presser Foot Guide (Left)                | 壓腳導件(左)     | 1    |
| 46         | P6-46      | Screw (M5-0.8X14)                        | 螺絲          | 2    |
| 47         | P6-47      | Presser Foot Spring Plate (B)(Left)      | 壓腳彈簧片(長)(左) | 1    |
| 48         | P6-48      | Presser Foot Spring Plate (B)(Right)     | 壓腳彈簧片(長)(右) | 1    |
| 49         | P6-49      | Presser Bar Guide, C. Set                | 壓腳導件組       | 1    |
| 50         | P6-50      | Screw (3/16-32X4)                        | 螺絲          | 2    |
| 51         | P6-51      | Presser Bar Lifter Lever (Large)         | 壓腳升降槓桿(大)   | 1    |
| 52         | P6-52      | Screw (7/32-32X12)                       | 螺絲          | 1    |
| 53         | P6-53      | Stop Plunger Segment pin                 | 插銷          | 1    |
| 54         | P6-54      | Screw (M5-0.8X5)                         | 螺絲          | 1    |
| 55         | P6-55      | Stop Plunger Segment                     | 插銷套         | 1    |
| 56         | P6-56      | Nut                                      | 螺帽          | 1    |
| 57         | P6-57      | Presser Foot Lifter Stop Plunger         | 壓具抬起停車柱     | 1    |
| 58         | P6-58      | Presser Foot Lifter Lever Link (Long)    | 壓腳升降槓桿連桿(長) | 1    |
| 59         | P6-59      | Screw (9/64-40X6.1)                      | 螺絲          | 2    |
| 60         | P6-60      | Presser Foot Lifter Lever Link (Short)   | 壓腳升降槓桿連桿(短) | 1    |
| 61         | P6-61      | Presser Bar Lifter Lever (Small)         | 壓腳升降槓桿(小)   | 1    |
| 62         | P6-62      | Screw (7/32-32X6)                        | 螺絲          | 1    |
| 63         | P6-63      | Presser Bar Lifter Lever                 | 壓腳拉桿        | 1    |
| 64         | P6-64      | Screw (3/32-56X4.3)                      | 螺絲          | 1    |
| 65         | P6-65      | Presser Bar Lifter Lever (Large), C. Set | 壓腳升降槓桿(大)組  | 1    |




|              |              |  |             | Amt.        |
|--------------|--------------|--|-------------|-------------|
| <u>No. N</u> | <u>lo.</u>   | Description 品                            | 名           | <u>Req.</u> |
| 1 P          | <b>?7-</b> 1 | Carrier/Hook Driving Rod (Left), C. Set  | 的線連桿組       | 1           |
| 2 P          | 7-2          | Carrier Hook Driving Rod (Left)          | 的線連桿        | 1           |
| 3 P          | 7-3          | Rod Ball (Left) 球                        | 頭           | 1           |
| 4 P          | 7-4          | Screw (9/64-40X10) 螺                     | 《絲          | 2           |
| <u>5</u> P   | 7-5          | Nut 螺                                    | 帽           | 1           |
| 6 P          | 7-6          | Nut 螺                                    | 【帽          | 2           |
| 7 P          | 7-7          | Carrier Hook Sleeve Lever                | 的線連桿套筒      | 1           |
| 8 P          | 7-8          | Screw(9/64-40X9) 螺                       | 《絲          | 1           |
| 9 P          | 7-9          | Needle Thread Take-up 針                  | 線搖臂過線孔      | 1           |
| <u>10 P</u>  | 7-10         | Screw(M3.5-0.6X6) 螺                      | 絲           | 1           |
| 11 P         | 7-11         | Screw(M3.5-0.6X8) 螺                      | 絲           | 2           |
| 12 P         | 7-12         | Bracket 固                                | 定片          | 1           |
| 13 P         | 7-13         | Knife Driving Lever 上                    | .切刀傳動槓桿     | 1           |
| 14 P         | 7-14         | Steady Washer 穩                          | 定墊圈         | 1           |
| <u>15 P</u>  | 7-15         | Knife Driving Connection (Right), C. Set | 切刀傳動連結桿(右)組 | 1           |
| 16 P         | 7-16         | Knife Driving Connection(Right)          | 切刀驅動連結桿(右)  | 1           |
| 17 P         | 7-17         | Knife Driving Connection Ball(Right) 上   | 切刀驅動連結球(右)  | 1           |
| 18 P         | 7-18         | Screw (M3.5-0.6X14) 螺                    | (絲          | 4           |
| 19 P         | 7-19         | Nut (Left-handed Screw) 螺                | 【帽(反牙)      | 1           |
| 20 P         | 7-20         | Knife Driving Connecting Rod 上           | 切刀驅動連結桿     | 1           |
| 21 P         | 7-21         | Nut 螺                                    | 帽           | 1           |
| 22 P         | 7-22         | Knife Driving Connection (Left), C. Set  | 切刀傳動連結桿(左)組 | 1           |
| 23 P         | 7-23         | Knife Driving Connection (Left)          | 切刀驅動連結桿(左)  | 1           |
| 24 P         | 7-24         | Rod Ball (Left) 球                        | 頭           | 1           |
| <u>25 P</u>  | 7-25         | Knife Holder Bracket, C. Set 上           | 切刀固定座托架組    | 1           |
| 26 P         | 7-26         | Thread Carrier and Hook Sleeve Bushing 切 | 刀固定座托架襯套    | 1           |
| 27 P         | 7-27         | Bushing Ring 襯                           | 套墊片         | 1           |
| 28 P         | 7-28         | Carrier/Hook Driving Sleeve              | 飾線連桿柱       | 1           |
| 29 P         | 7-29         | Oil Wick 油                               | 芯           | 1           |
| <u>30 P</u>  | 27-30        | Oil Seal 油                               | 封           | 1           |
| 31 P         | 7-31         | Oil Seal 油                               | 封           | 1           |
| 32 P         | 7-32         | Knife Holder Guide Collar, C. Set 活      | 動刀組         | 1           |
| 33 P         | 7-33         | Knife Holder Shank Support 上             | 切刀固定座支架     | 1           |
| 34 P         | 7-34         | Knife Holder Spring 上                    | 切刀固定座彈簧     | 1           |
| <u>35 P</u>  | 7-35         | Knife Holder Guide Collar 上              | 切刀彈簧固定座     | 1           |
| 36 P         | 7-36         | Screw (9/64-40X9) 螺                      |             | 1           |
| 37 P         | 7-37         | Knife Holder Shank                       | 切刀固定座柄      | 1           |
| 38 P         | 7-38         | Screw (9/64-40X8) 螺                      | 絲           | 2           |
| 39 P         | 7-39         | Screw (3/32-56X3.5) 螺                    | 絲           | 1           |
| <u>40 P</u>  | 7-40         | Knife Support 上                          | 切刀支架        | 1           |

| Ref.       | Parts      |                                  |           | Amt.        |
|------------|------------|----------------------------------|-----------|-------------|
| <u>No.</u> | <u>No.</u> | Description                      | 品名        | <u>Req.</u> |
| 41         | P7-41      | Screw (3/32-56X1.2)              | 螺絲        | 1           |
| 42         | P7-42      | Upper Knife                      | 上切刀       | 1           |
| 43         | P7-43      | Knife Holder                     | 上切刀固定座    | 1           |
| 44         | P7-44      | Screw (3/32-56X7)                | 螺絲        | 2           |
| 45         | P7-45      | Screw (1/4-40X6)                 | 螺絲        | 1           |
| 46         | P7-46      | Knife Holder Bracket             | 上切刀固定座托架  | 1           |
| 47         | P7-47      | Sleeve Bushing (Upper)           | 襯套(上)     | 1           |
| 48         | P7-48      | Sleeve Bushing (Lower)           | 襯套(下)     | 1           |
| 49         | P7-49      | Washer                           | 墊片        | 2           |
| 50         | P7-50      | Knife Driving Connection, C. Set | 上切刀傳動連結桿組 | 1           |
| 51         | P7-51      | Knife Driving Lever, C. Set      | 上切刀傳動槓桿組  | 1           |
| 52         | P7-52      | Needle Thread Take-up, C. Set    | 針線搖臂過線孔組  | 1           |



| LOOPER DEIVING MECHANISM |              |                                       | 下勾針驅動機構                    | 8    |  |
|--------------------------|--------------|---------------------------------------|----------------------------|------|--|
| Ref.                     | Parts        |                                       |                            | Amt. |  |
| <u>No.</u>               | <u>No.</u>   | Description                           | 品名                         | Req. |  |
| 1                        | P8-1         | Looper Driving Crank Pin              | 下勾針驅動曲柄插銷                  | 1    |  |
| 2                        | P8-2         | Screw (9/64-40X16.3)                  | 螺絲                         | 1    |  |
| 3                        | P8-3         | Roll Pin for Main Shaft               | 插銷                         | 1    |  |
| 4                        | P8-4         | Looper Lever Driving Rod, C. Set      | 下勾針驅動桿組                    | 1    |  |
| 5                        | P8-5         | Looper Lever Driving Rod Ball         | 下勾針驅動桿球                    | 1    |  |
| 6                        | P8-6         | Screw (M3.5-0.6X14)                   | 螺絲                         | 6    |  |
| 7                        | P8-7         | Looper Lever Driving Rod              | 下勾針驅動桿                     | 1    |  |
| 8                        | P8-8         | Washer                                | 墊片                         | 1    |  |
| 9                        | P8-9         | Nut (Left-handed Screw)               | 螺帽(反牙)                     | 2    |  |
| 10                       | P8-10        | Retaining Ring                        | 扣環                         | 2    |  |
| 11                       | <b>P8-11</b> | Looper Lever Driving Rod Pin          | 下勾針驅動桿插銷                   | 1    |  |
| 12                       | P8-12        | Screw (1/8-44X5)                      | 螺絲                         | 1    |  |
| 13                       | P8-13        | Collar                                | 軸環                         | 2    |  |
| 14                       | <b>P8-14</b> | Screw (11/64-40X5.5)                  | 螺絲                         | 2    |  |
| 15                       | P8-15        | Looper Lever Shaft                    | 下勾針槓桿軸                     |      |  |
| 16                       | <b>P8-16</b> | Washer                                | ————————————————————<br>墊片 | 6    |  |
| 17                       | P8-17        | Screw (7/32-32X20)                    | 螺絲                         | 1    |  |
| 18                       | P8-18        | Looper Lever                          | 下勾針槓桿                      | 1    |  |
| 19                       | P8-19        | Looper Driving Connection Rod, C. Set | 下勾針驅動連桿組                   | 1    |  |
| 20                       | P8-20        | Looper Driving Connection(Upper)      | 下勾針驅動連桿(上)                 | 1    |  |
| 21                       | P8-21        | Looper, C. Set                        | 勾針組                        | 1    |  |
| 22                       | P8-22        | Looper Driving Connection Ball(Upper) | 下勾針驅動連桿球(上)                | 1    |  |
| 23                       | P8-23        | Nut                                   | 螺帽                         | 1    |  |
| 24                       | P8-24        | Looper Driving Connecting Rod         | 下勾針驅動連結桿                   | 1    |  |
| $\frac{25}{26}$          | P8-25        | Nut                                   | 螺帽                         | 1    |  |
| 26                       | P8-26        | Looper Driving Connection(Lower)      | 下勾針驅動連桿(下)                 | 1    |  |
| 27                       | P8-27        | Looper Driving Connection Ball(Lower) | 下勾針驅動連桿球(下)                | 1    |  |
| 28                       | P8-28        | Nut                                   | 螺帽                         | 1    |  |
| 29                       | P8-29        | Steady Fork                           | 穩定叉                        | 1    |  |
| 30                       | P8-30        | Screw (M3.5-0.6X8)                    | 螺絲                         | 1    |  |
| 31                       | P8-31        | Looper Rocker Shaft                   | 下勾針搖桿軸                     | 1    |  |
| 32                       | P8-32        | Looper Rocker Shaft Sleeve            | 下勾針搖桿軸套筒                   | 1    |  |
| 33                       | P8-33        | Washer                                | 墊片                         | 1    |  |
| 34                       | P8-34        | Screw (9/64-40X10.9)                  | 螺絲                         | 1    |  |
| 35                       | <u>P8-35</u> | Looper Rocker Shaft Sleeve Guide      | 下勾針搖桿軸套筒導件                 | 1    |  |
| 36                       | P8-36        | Screw (3/16-32X8)                     | 螺絲                         | 1    |  |
| 37                       | P8-37        | Collar                                | 下勾針搖桿軸環                    | 1    |  |
| 38                       | P8-38        | Screw(11/64-40X13)                    | 螺絲                         | 1    |  |
| 39                       | P8-39        | Looper Holder                         | 下勾針固定座                     | 1    |  |
| 40                       | P8-40        | Screw (11/64-40X8.3)                  | 螺絲                         | 1    |  |


| LOOPER DEIVING MECHANISM |               |  | 下勾針驅動機構     | 8           |
|--------------------------|---------------|--|-------------|-------------|
| Ref.                     | Parts         |  |             | Amt.        |
| <u>No.</u>               | <u>No.</u>    | Description                              | 品名          | <u>Req.</u> |
| 41                       | <b>P8-4</b> 1 | Packing                                  | 襯墊          | 1           |
| 42                       | P8-42         | Adjusting Screw(9/64-40X8.2)             | 調節螺絲        | 1           |
| 43                       | P8-43         | Looper                                   | 勾針          | 1           |
| 44                       | P8-44         | Screw (9/64-40X4.9)                      | 螺絲          | 1           |
| 45                       | P8-45         | Needle Guard(Front)                      | 防護片(前)      | 1           |
| 46                       | P8-46         | Screw (29/256-48X3.2)                    | 螺絲          | 2           |
| 47                       | P8-47         | Screw (3/32-56X3.5)                      | 螺絲          | 1           |
| 48                       | P8-48         | Looper Driving Connection(Upper), C. Set | 下勾針驅動連結組(上) | 1           |
| 49                       | P8-49         | Looper Driving Connection(Lower), C. Set | 下勾針驅動連結組(下) | 1           |
| 50                       | P8-50         | Spacer                                   | 垫片          | 1           |
| 51                       | P8-51         | Looper, C. Set                           | 勾針組         | 1           |
| 52                       | P8-52         | Looper Lever, C. Set                     | 下勾針槓桿組      | 1           |
| 53                       | P8-53         | Looper Holder, C. Set                    | 下勾針固定座組     | 1           |
| 54                       | P8-54         | Looper Rocker Shaft, C. Set              | 下勾針搖桿軸組     | 1           |



## FEED DEIVING CONTROL MECHANISM


送料具驅動機構

| Ref.       | Parts        |                                     |              | Amt.        |
|------------|--------------|-------------------------------------|--------------|-------------|
| <u>No.</u> | <u>No.</u>   | <u>Description</u>                  | 品名           | <u>Req.</u> |
| 1          | P9-1         | Feed Lift Eccentric, C. Set         | 送料具提升偏心輪組    | 1           |
| 2          | P9-2         | Feed Lift Connection (Upper)        | 送料具提升連桿(上)   | 2           |
| 3          | Р9-3         | Screw (11/64-40X16)                 | 螺絲           | 4           |
| 4          | P9-4         | Feed Lift Eccentric Ball            | 送料具提升偏心輪球    | 1           |
| 5          | P9-5         | Screw (11/64-40X4)                  | 螺絲           | 4           |
| 6          | P9-6         | Nut (Left-handed Screw)             |              | 2           |
| 7          | P9-7         | Feed Lift Eccentric Connecting Rod  | 送料具提升偏心輪連桿   | 2           |
| 8          | P9-8         | Nut                                 | 螺帽           | 2           |
| 9          | P9-9         | Feed Lift Connection (Lower)        | 送料具提升連桿(下)   | 1           |
| 10         | P9-10        | Screw (M3.5-0.6X14)                 | 螺絲           | 4           |
| 11         | P9-11        | Feed Lift Connection Ball           | 送料具提升連桿球     | 1           |
| 12         | P9-12        | Steady Fork                         | 穩定叉          | 1           |
| 13         | P9-13        | Screw (M3.5-0.6X8)                  | 螺絲           | 1           |
| 14         | P9-14        | Oil Wick                            | 油芯           | 2           |
| 15         | P9-15        | Pin                                 | 大頭針          | 2           |
| 16         | P9-16        | Feed Drive Eccentric, C. Set        | 送料具驅動偏心輪組    | 1           |
| 17         | P9-17        | Feed Drive Eccentric Ball           | 送料具驅動偏心輪球    | 1           |
| 18         | P9-18        | Washer                              | 墊片           | 8           |
| 19         | P9-19        | Feed Drive Connection(Lower)        | 送料具驅動連桿(下)   | 1           |
| 20         | P9-20        | Feed Drive Connection Ball          | 送料具驅動連桿球     | 1           |
| 21         | P9-21        | Steady Washer                       | 穩定墊片         | 1           |
| 22         | P9-22        | Washer                              | 墊片           | 1           |
| 23         | Р9-23        | Nut                                 | 螺帽           | 1           |
| 24         | P9-25        | Feed Drive Shaft                    | 送料具驅動軸       | 1           |
| 25         | P9-26        | Feed Drive/Looper Avoid Lever       | 送料具槓桿        | 1           |
| 26         | P9-27        | Feed Drive Shaft Bushing            | 送料具驅動軸套筒     | 1           |
| 27         | P9-28        | Screw (3/16-32X9.1)                 | 螺絲           | 1           |
| 28         | P9-30        | Looper Avoid Connecting Rod, C. Set | 勾針運動連桿組      | 1           |
| 29         | <b>P9-31</b> | Screw (7/32-32X10)                  | 螺絲           | 2           |
| 30         | P9-32        | Looper Avoid Connecting Rod Bushing | 連桿軸承襯套       | 2           |
| 31         | P9-33        | Needle Bearing                      | <br>軸承       | 2           |
| 32         | P9-34        | Looper Avoid Connecting Rod         | 勾針運動連桿       | 1           |
| 33         | P9-35        | Looper Avoid Adjusting Nut          | 調整螺帽         | 1           |
| 34         | P9-36        | Feed Lift Connection(Upper), C. Set | 送料具提升連桿(上)組  | 1           |
| 35         | P9-37        | Feed Lift Connection(Lower), C. Set | 送料具提升連桿(下)組  | 1           |
| 36         | P9-38        | Feed Drive Eccentric(Upper), C. Set | 送料具提升偏心輪(上)組 | L 1         |
| 37         | P9-39        | Feed Drive Eccentric(Lower), C. Set | 送料具提升偏心輪(下)組 |             |
|            |              |                                     |              |             |




| FEE        | D DEIVING  | MECHANISM                                  | 料具調節機構      | 10   |
|------------|------------|--|-------------|------|
| Ref.       | Parts      |  |             | Amt. |
| <u>No.</u> | <u>No.</u> | Description                                | 品名          | Req. |
| 1          | P10-1      | Feed Bar, C. Set                           | 送料具固定座組     | 1    |
| 2          | P10-2      | Main Feed Bar                              | 主送料具固定座     | 1    |
| 3          | P10-3      | Differential Feed Bar                      | 差動送料具固定座    | 1    |
| 4          | P10-4      | Feed Bar Plate                             | 送料具固定座片     | 2    |
| 5          | P10-5      | Screw (11/64-40X18.5)                      | 螺絲          | 4    |
| 6          | P10-6      | Screw (11/64-40X7)                         | 螺絲          | 1    |
| 7          | P10-7      | Differential Feed Dog                      | 差動齒         | 1    |
| 8          | P10-8      | Main Feed Dog                              | 主歯          | 1    |
| 9          | P10-9      | Screw (11/64-40X7.8)                       | 螺絲          | 2    |
| 10         | P10-10     | Needle Guard(Rear)                         | 頂針片(後)      | 1    |
| 11         | P10-11     | Screw (1/8-44X4.8)                         | 螺絲          | 1    |
| 12         | P10-12     | Feed Bar Eccentric Pin                     | 送料具偏心銷      | 1    |
| 13         | P10-13     | Screw (11/64-40X5)                         | 螺絲          | 1    |
| 14         | P10-14     | O-ring                                     | O型橡膠環       | 1    |
| 15         | P10-15     | Screw (9/64-40X6.4)                        | 螺絲          | 3    |
| 16         | P10-16     | Feed Bar Slide Block                       | 送料具滑塊       | 1    |
| 17         | P10-17     | Feed Rocker Link Bushing                   | 送料具摇桿套筒     | 3    |
| 18         | P10-18     | Screw (7/32-32X6.5)                        | 螺絲          | 2    |
| 19         | P10-19     | Main Feed Bar Driving Link                 | 主送料具固定座驅動桿  | 1    |
| 20         | P10-20     | Feed Rocker Link Pin                       | 送料具摇桿插銷     | 2    |
| 21         | P10-21     | Differential Feed Bar Driving Link         | 差動送料具驅動桿    | 1    |
| 22         | P10-22     | Screw (7/32-32X5)                          | 螺絲          | 1    |
| 23         | P10-23     | Feed Rocker                                | 送料具摇桿       | 1    |
| 24         | P10-24     | Differential Feed Bar Driving Link Slider  | 差動送料具調整滑塊   | 1    |
| 25         | P10-25     | Screw (7/32-32X4.6)                        | 螺絲          | 1    |
| 26         | P10-26     | Differential Feed Adjusting Link           | 差動送料具調節桿    | 1    |
| 27         | P10-27     | Screw (11/64-40X6.6)                       | 螺絲          | 1    |
| 28         | P10-28     | Differential Feed Adjusting Lever          | 差動送料具調節槓桿   | 1    |
| 29         | P10-29     | O-ring                                     | O型橡膠環       | 1    |
| 30         | P10-30     | Feed Rocker Shaft                          | 送料具摇桿軸      | 1    |
| 31         | P10-31     | Screw (M6-1X8)                             | 螺絲          | 2    |
| 32         | P10-32     | Feed Rocker Shaft Bushing                  | 送料具摇桿軸套筒    | 1    |
| 33         | P10-33     | Feed Rocker Link                           | 送料具摇桿連桿     | 1    |
| 34         | P10-34     | Screw (7/32-32X10.5)                       | 螺絲          | 1    |
| 35         | P10-35     | Feed Adjusting Nut                         | 送料具調節螺帽     | 1    |
| 36         | P10-36     | Differential Feed Adjusting Lever (Middle) | 差動送料具調節槓桿(中 | )1   |
| 37         | P10-37     | O-ring                                     | O型橡膠環       | 1    |
| 38         | P10-38     | Differential Feed Adjusting Dial Gasket    | 差動調節標度盤墊片   | 1    |
| 39         | P10-39     | Differential Feed Adjusting Dial           | 差動送料具調節標度盤  | 1    |
| 40         | P10-40     | Screw (9/64-40X8.5)                        | 螺絲          | 1    |

| FEED DEIVING MECHANISM |            |  | 料具調節機構      | <u>10</u> |
|------------------------|------------|--|-------------|-----------|
| Ref.                   | Parts      |  |             | Amt.      |
| <u>No.</u>             | <u>No.</u> | Description                              | 品名          | Req.      |
| 41                     | P10-41     | Spacer (Fiber)                           | 墊片(纖維)      | 1         |
| 42                     | P10-42     | Corrugated Washer                        | 波狀墊片        | 1         |
| 43                     | P10-43     | Differential Feed Operating Lever        | 差動送料具操作桿    | 1         |
| 44                     | P10-44     | Screw (M3-0.5X2.6)                       | 螺絲          | 2         |
| 45                     | P10-45     | Nut                                      | 螺帽          | 2         |
| 46                     | P10-46     | Screw (1/8-44X3.9)                       | 螺絲          | 1         |
| 47                     | P10-47     | Screw (1/8-44X4.7)                       | 螺絲          | 1         |
| 48                     | P10-48     | Main Feed Dog, C. Set                    | 主齒組         | 1         |
| 49                     | P10-49     | Feed Rocker, C. Set                      | 送料具摇桿組      | 1         |
| 50                     | P10-50     | Feed Bar Eccentric Pin, C. Set           | 送料具偏心銷組     | 1         |
| 51                     | P10-51     | Differential Feed Adjusting Dial, C. Set | 差動調節標度盤組    | 1         |
| 52                     | P10-52     | Feed Rocker, C. Set (Thick material)     | 送料具搖桿組(厚料用) | 1         |
| 53                     | P10-53     | Main Feed Dog                            | 主齒          | 1         |
| 54                     | P10-54     | Differential Feed Dog                    | 差動齒         | 1         |



| LUBI       | RICATING N       | /ECHANISM                                | 給油機構                 | 11   |
|------------|------------------|--|----------------------|------|
| Ref.       | Parts            |  |                      | Amt. |
| <u>No.</u> | <u>No.</u>       | Description                              | 品名                   | Req. |
|            | P11-1            | Crank Chamber Oil Gauge Unit             | 油錶                   | 1    |
| 2          | P11-2            | Oil Height Indicator                     | 油量指示棒                | 1    |
|            | P11-3            | Oil Receiver (Rear)                      | 油量接收器(後)             | 1    |
| -          | P11-4            | Oil Wick                                 | 油芯                   | 1    |
| 5          | P11-5            | O-ring                                   | O型橡膠環                | 1    |
| 5          | P11-6            | Pump, C. Set                             | 油泵組                  | 1    |
| ,          | P11-7            | Pump Housing Cover (Rear) Unit           | 吸油管組(後)              | 1    |
| 5          | P11-8            | Screw (9/64-40X9.7)                      | 螺絲                   | 6    |
|            | P11-9            | In-take Filter                           | 吸油氈                  | 1    |
| 0          | P11-10           | Pump, C. Set                             | 油泵組                  | 1    |
| 1          | P11-11           | Pump Housing                             | 油泵室                  | 1    |
| 2          | P11-12           | Pump Gear Shaft (Short)                  | 油泵齒輪(短)              | 2    |
| 3          | P11-13           | Pump Gear Shaft (Long)                   | 油泵菌輪(長)              | 1    |
| 4          | P11-14           | Oil Pump Gear                            | 油泵齒輪                 | 4    |
| 5          | P11-15           | Pump Driven Gear                         | 油泵驅動齒輪               | 1    |
| 6          | P11-16           | Screw (11/64-40X5)                       | 螺絲                   | 2    |
| 7          | P11-17           | O-ring                                   | O型橡膠環                | 1    |
| 8          | P11-18           | Washer                                   | 垫片                   | 1    |
| 9          | P11-19           | Screw (9/64-40X3)                        | 螺絲                   | 2    |
| .0         | P11-20           | Screw (11/64-40X10.5)                    | 螺絲                   | 2    |
| 1          | P11-21           | Pump Housing Cover (Front) Unit          | 吸油管組(前)              | 1    |
| 22         | P11-22           | Screw (M10-1.5X6.1)                      | 螺絲                   | 1    |
| 3          | P11-23           | Thread Take-up Oil Defender Unit         | 防油板                  | 1    |
| 24         | P11-24           | Screw (9/64-40X7)                        | 螺絲                   | 2    |
| 25         | P11-25           | Seal                                     | 防油墊片                 | 1    |
| 6          | P11-26           | Washer                                   | <u></u>              | 1    |
| 7          | P11-27           | Oil Receiver (Front)                     | 油量接收器(前)             | 1    |
| 8          | P11-28           | Oil Wick                                 | 油並                   | 3    |
| 9          | P11-29           | Rubber Bushing                           | 橡膠套筒                 | 1    |
| .)<br>60   | P11-30           | Oil Filter Screen Rubber Seal            | 過濾油網橡膠油封             | 1    |
| 1          | P11-31           | Oil Filter Screen                        | <u>過</u> 濾油網         | 1    |
| 2          | P11-32           | Oil Reservoir Gasket                     | 油槽防油墊                | 1    |
| 3          | P11-33           | Oil Reservoir                            | 油槽                   | 1    |
| 4          | P11-34           | Screw (M5-0.8X14)                        | 螺絲                   | 6    |
| 5          | P11-34           | O-ring                                   | ······<br>O型橡膠環      | 1    |
| 6          | P11-36           | Drain Hole Screw (3/8-24X8)              | 螺絲                   | 1    |
| 7          | P11-37           | Oil Tube                                 | <sup>城</sup> 城<br>銅管 | 1    |
| 8          | P11-37           | Thread Take-up Oil Defender Unit         | 劉官防油板氈               | 1    |
| o<br>9     | P11-38<br>P11-39 | Thread Take-up Oil Defender Unit         |                      | 1    |
| 9<br>0     | P11-39<br>P11-40 | Thread Take-up Oil Defender Unit, C. Set | 防油板氈<br>防油板組         | 1    |
| 1          | P11-40<br>P11-41 |  |                      | 1    |
|            |                  | Oil Receiver (Front), C. Set             | 油量接收器(前)組            | 1    |
| 2          | P11-42           | Oil Reservoir, C. Set                    | 油槽组                  | 1    |
| 3          | P11-43           | Oil Filter Screen, C. Set                | 過濾油網組                | 1    |

## 12 D007-02




| DOUBLE | SIDE CUT | PRESSER FO | OOT MECHANISM |
|--------|----------|------------|---------------|
|        |          |            |               |


雙切壓腳機構

| No.Description品名1P12-1Double Side Cut Presser Foot, C. Set雙切壓腳組2P12-2Double Side Cut Presser Foot雙切壓腳3P12-3Screw (11/64-40X6.3)螺絲 | <u>Req.</u><br>1                      |
|---|---------------------------------------|
| 2 P12-2 Double Side Cut Presser Foot 雙切壓腳   | 1                                     |
|   | 1                                     |
| 3 P12-3 Screw (11/64-40X6.3) 螺絲   | 1                                     |
|   | 1                                     |
| 4 P12-4 Carrier/Hook Driving Segment 上勾針驅動扇形  | 5月 1                                  |
| 5 P12-5 Carrier/Hook Driving Lever Link 上勾針驅動連桿   | 2                                     |
| 6 P12-6 Link Pin 連桿插銷   | 4                                     |
| 7 P12-7 Screw (3/32-56X3.3) 螺絲  | 4                                     |
| 8 P12-8 Thread Hook Driving Lever 勾針驅動槓桿  | 1                                     |
| 9 P12-9 Top Cover Thread Hook 上飾線過線勾  | 1                                     |
| 10 P12-10 Screw (9/64-40X6.8) 螺絲  | 1                                     |
| 11 P12-11 Top Cover Thread Carrier Driving Lever 上飾線托架驅動  | 5槓桿 1                                 |
| 12 P12-12 Top Cover Thread Carrier 上飾線過線勾右  | <del>,</del> 1                        |
| 13 P12-13 Screw (1/8-44X5) 螺絲   | 2                                     |
| 14 P12-14 Presser Foot Attach Piece (Right) 壓腳連接片(右)  | 1                                     |
| 15 P12-15 Presser Foot Attach Piece (Left) 壓腳連接片(左)   | 1                                     |
| 16 P12-16 Screw(3/32-56X1.5) 螺絲   | 4                                     |
| 17 P12-17 Lower Knife 下切刀   | 1                                     |
| 18 P12-18 Lower Knife Clamp 下切刀夾板   | 1                                     |
| 19 P12-19 Screw (1/8-44X3.5) 螺絲   | 1                                     |
| 20 P12-20 Yielding Section Spring 小壓具彈簧   | 1                                     |
| 21P12-21Yielding Section小壓具   | 1                                     |
| 22 P12-22 Presser Foot Tongue 壓腳舌片  | 1                                     |
| 23 P12-23 Screw(3/32-56X2.5) 螺絲   | 2                                     |
| 24 P12-24 Presser Foot Spring Plate (Left) 壓腳彈簧片(左)   | 1                                     |
| 25P12-25Presser Foot Spring Plate (Right)壓腳彈簧片(右)   | 1                                     |
| 26 P12-26 Screw (3/32-56X2) 螺絲  | 1                                     |
| 27 P12-27 Spring Plate Holder 彈簧片固定座  | 1                                     |
| 28 P12-28 Chip Guard 切角防護片  | 1                                     |
| 29 P12-29 Chip Guard Spring 切角防護片彈簧   | - 1                                   |
| <u>30 P12-30 Screw (1/8-44X3.4)</u> 螺絲  | 1                                     |
| 31 P12-31 Lap Former 前導布器   | 1                                     |
| 32 P12-32 Screw (3/32-56X3.5) 螺絲  | 1                                     |
| 33 P12-33 Screw (3/32-56X3.9) 螺絲  | 1                                     |
| 34 P12-34 Lap Former Slide Block 前導布器滑塊   | 1                                     |
| 35 P12-35 Lap Former Slide Block Spring 前導布器滑塊彈   | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 36 P12-36 Lap Former Guide Plate (Left) 前導布器導軌(2  |                                       |
| 37 P12-37 Lap Former Guide Plate (Right) 前導布器導軌(ス   |                                       |
| 38 P12-38 Screw (1/8-44X8) 螺絲   | 8                                     |
| 39 P12-39 Sewing Cylinder Cover (Upper) 下巴蓋板  | 1                                     |
| 40 P12-40 Screw (3/32-56X2.1) 螺絲  | 1                                     |


| DOU        | DOUBLE SIDE CUT PRESSER FOOT MECHANISM |                                       | 雙切壓腳機構      | 12   |
|------------|--|---------------------------------------|-------------|------|
| Ref.       | Parts                                  |                                       |             | Amt. |
| <u>No.</u> | <u>No.</u>                             | <u>Description</u>                    | 品名          | Req. |
| 41         | P12-41                                 | Main Feed Dog                         | 主歯          | 1    |
| 42         | P12-42                                 | Stitch Plate                          | 針板          | 1    |
| 43         | P12-43                                 | Presser Foot Spring Plate (B)(Left)   | 壓腳彈簧片(長)(左) | 1    |
| 44         | P12-44                                 | Presser Foot Spring Plate (B)(Right)  | 壓腳彈簧片(長)(右) | 1    |
| 45         | P12-45                                 | Chip Guard Plate                      | 切角防護片座      | 1    |
| 46         | P12-46                                 | Screw (3/32-56X4.3)                   | 螺絲          | 1    |
| 47         | P12-47                                 | Lap Former, C. Set                    | 前導布器組       | 1    |
| 48         | P12-48                                 | Sewing Cylinder Cover (Upper), C. Set | 下巴蓋板組       | 1    |
| 49         | P12-49                                 | Needle Guard(Rear)                    | 頂針片(後)      | 1    |
| 50         | P12-50                                 | Screw (1/8-44X4.8)                    | 螺絲          | 1    |
| 51         | P12-51                                 | Stitch Plate Tongue                   | 針板舌片        | 1    |
| 52         | P12-52                                 | Screw (3/32-56X2)                     | 螺絲          | 1    |
| 53         | P12-53                                 | Main Feed Dog, C. Set                 | 主齒組         | 1    |
| 54         | P12-54                                 | Stitch Plate, C. Set                  | 針板組         | 1    |
| 55         | P12-55                                 | Main Feed Dog                         | 主齒          | 1    |
| 56         | P12-56                                 | Differential Feed Dog                 | 差動齒         | 1    |
| 57         | P12-57                                 | Feed Rocker, C. Set (Thick material)  | 送料具搖桿組(厚料用) | 1    |
|            |  |                                       |             |      |




| /SV/       | DEVICE           |                                      | 伺服馬達機構                 | 13   |
|------------|------------------|--------------------------------------|------------------------|------|
| Ref.       | Parts            |                                      |                        | Amt. |
| <u>lo.</u> | <u>No.</u>       | Description                          | 品名                     | Req. |
|            | P13-1            | Belt Pulley Cover                    | 皮帶輪蓋                   | 1    |
|            | P13-2            | Screw (M4-0.7X8)                     | 螺絲                     | 3    |
|            | P13-3            | Washer                               | 墊片                     | 3    |
|            | P13-4            | Gear Wheel                           | 歯輪                     | 1    |
|            | P13-5            | Gear Wheel                           | 歯輪                     | 1    |
|            | P13-6            | Screw (M6-1X6)                       | 螺絲                     | 4    |
|            | P13-7            | Synchroniser                         | 定位感應器                  | 1    |
|            | P13-8            | Screw (11/64x2)                      | 螺絲                     | 1    |
|            | P13-9            | Synchroniser Place                   | 定位感應器座                 | 1    |
| 0          | P13-10           | Screw (M4-0.7x8)                     | 螺絲                     | 6    |
| 1          | P13-11           | Handwheel                            |                        | 1    |
| 2          | P13-12           | Screw (M5-0.8X5)                     | 螺絲                     | 2    |
| 3          | P13-13           | Timing Belt                          | 皮带                     | 1    |
| 4          | P13-14           | Screw (M5-0.8X14)                    | 螺絲                     | 4    |
| 5          | P13-15           | Screw (M6-1X15)                      | 螺絲                     | 7    |
| 6          | P13-16           | Washer                               | 墊片                     | 7    |
| 7          | P13-17           | Mini Servomotor Support (Upper)      | 伺服馬達座(上)               | 1    |
| 8          | P13-18           | Mini Servomotor                      | 伺服馬達                   | 1    |
| 9          | P13-19           | Mini Servomotor Support (Lower)      | 伺服馬達座(下)               | 1    |
| 0          | P13-20           | Washer                               | 墊片                     | 2    |
| 1          | P13-21           | Spring Washer                        | <br>彈簧墊片               | 2    |
| 2          | P13-22           | Screw (3/8-16X45)                    | 螺絲                     | 2    |
| 3          | P13-23           | Nut                                  | 螺帽                     | 1    |
| 4          | P13-24           | Sewing Maching Supprting Block Cover | 機座蓋                    | - 1  |
| 5          | P13-25           | Pierce Filament Illustration         | 穿線圖                    | 1    |
| 6          | P13-26           | Emblem                               | 銘牌                     | 1    |
| 7          | P13-27           | Rivet                                | 鉚釘                     | 2    |
| 8          | P13-28           | Sewing Maching Supprting Block       | 機座                     | - 1  |
| 9          | P13-29           | Pitman                               | 馬達吊桿                   | 1    |
| 0          | P13-30           | Wood Screw                           | 木螺絲                    | 7    |
| 1          | P13-31           | Control Rapid Box                    |                        | 1    |
| 2          | P13-32           | Control Box                          | 控制箱                    | 1    |
| 3          | P13-33           | Cord Clamp                           | 肥墊                     | 1    |
| ,<br>1     | P13-34           | Mini Servomotor, C. Set              | 伺服馬達                   | 1    |
|            | P13-35           | Gear Wheel, C. Set                   | 歯輪組                    | 1    |
| 5<br>6     | P13-36           | Gear Wheel, C. Set                   | 齿輪組                    | 1    |
| 7          | P13-37           | Band (12cm)                          | ■<br>東帶(12公分)          | 1    |
| 8          | P13-38           | Screw (3/8-16X50)                    | 螺絲                     | 1    |
| 9          | P13-38           | Arrow Sticker                        | <sup>城</sup> 际<br>箭頭貼紙 | 1    |
| 9<br>0     | P13-39<br>P13-40 | Oil Seal Plug                        | <b>削</b> 與貼紙<br>膠墊     | 1    |




| /AT/       | DEVICE     |                               | 氣動抬壓腳機構      | 14   |
|------------|------------|-------------------------------|--------------|------|
| Ref.       | Parts      |                               |              | Amt. |
| <u>No.</u> | <u>No.</u> | Description                   | 品名           | Req. |
| 1          | P14-1      | Regulator                     | 氣壓錶          | 1    |
| 2          | P14-2      | Air Tube(6x4mm)               | 風管(6x4mm)    | 1    |
| 3          | P14-3      | Solenoid Valve                | 電磁閥          | 1    |
| 4          | P14-4      | Air Tube(4x2.5mm)(Blue)       | 風管(4x2.5)(藍) | 1    |
| 5          | P14-5      | Air Tube(4x2.5mm)(Orange)     | 風管(4x2.5)(橘) | 1    |
| 6          | P14-6      | L" Connector                  | L"形風管接頭      | 2    |
| 7          | P14-7      | Air Cylinder                  | 氟缸           | 1    |
| 8          | P14-8      | Nut                           | 螺帽           | 1    |
| 9          | P14-9      | Presser Lifter Holder         | 氣缸壓頭         | 1    |
| 10         | P14-10     | Screw (M6-1X15)               | 螺絲           | 4    |
| 11         | P14-11     | Cylinder Bracket              | 氟缸座          | 1    |
| 12         | P14-12     | Screw (3/16-32X11.5)          | 螺絲           | 4    |
| 13         | P14-13     | Presser Foot Connecting Lever | 抬壓腳連桿        | 1    |
| 14         | P14-14     | Screw (3/16-32X4)             | 螺絲           | 2    |
| 15         | P14-15     | Air Cylinder, C. Set          | 氟缸組          | 1    |
| 16         | P14-16     | Solenoid Valve, C. Set        |              | 1    |
| 17         | P14-17     | Oil Seal Plug                 | 膠墊           | 1    |







| <u>/ET/</u> | DEVICE     |                               | 重動抬壓腳機構 | 15   |
|-------------|------------|-------------------------------|---------|------|
| Ref.        | Parts      |                               |         | Amt. |
| <u>No.</u>  | <u>No.</u> | <u>Description</u>            | 品名      | Req. |
| 1           | P15-1      | Solenoid Valve                | 電磁閥     | 1    |
| 2           | P15-2      | Solenoid Valve Bracket        | 電磁閥座    | 1    |
| 3           | P15-3      | Screw (M6-1X15)               | 螺絲      | 2    |
| 4           | P15-4      | Washer                        | 墊片      | 2    |
| 5           | P15-5      | Screw (M5-0.8X14)             | 螺絲      | 3    |
| 6           | P15-6      | Screw (M4-0.7X8)              | 螺絲      | 1    |
| 7           | P15-7      | Cord Clamp                    | 線套      | 1    |
| 8           | P15-8      | Retaining Ring                | 扣環      | 1    |
| 9           | P15-9      | O-Ring                        | 0形橡膠環   | 2    |
| 10          | P15-10     | Bearing Housing               | 軸承固定室   | 1    |
| 11          | P15-11     | Belt Pulley Cover Bracket     | 皮带輪蓋座   | 1    |
| 12          | P15-12     | Screw (3/16-32X11.5)          | 螺絲      | 4    |
| 13          | P15-13     | Solenoid Valve, C. Set        | 電磁閥組    | 1    |
| 14          | P15-14     | Bearing Housing, C. Set       | 軸承固定室組  | 1    |
| 15          | P15-15     | Nut                           | 螺帽      | 1    |
| 16          | P15-16     | Presser Lifter Holder         | 氣缸壓頭    | 1    |
| 17          | P15-17     | Presser Foot Connecting Lever | 抬壓腳連桿   | 1    |




| Ref.       | Parts      |                                   |           | Amt.        |
|------------|------------|-----------------------------------|-----------|-------------|
| <u>No.</u> | <u>No.</u> | Description                       | 品名        | <u>Req.</u> |
| 1          | P16-1      | Dust-Collecting Equipment         | 集塵袋       | 1           |
| 2          | P16-2      | Hose Band                         | 束套        | 1           |
| 3          | P16-3      | Take Over                         | 接管        | 1           |
| 4          | P16-4      | Hose Band                         | 束套        | 1           |
| 5          | P16-5      | Wood Screw                        | 木螺絲       | 4           |
| 6          | P16-6      | Take Over                         | 接管        | 1           |
| 7          | P16-7      | Regulator Support                 | 固定座       | 1           |
| 8          | P16-8      | Wood Screw                        | 木螺絲       | 2           |
| 9          | P16-9      | Solenoid Valve                    | 電磁閥       | 1           |
| 10         | P16-10     | L" Connector                      | L"形風管接頭   | 1           |
| 11         | P16-11     | Screw (M3-0.5X24)                 | 螺絲        | 2           |
| 12         | P16-12     | Air Tube(6x4mm)                   | 風管(6x4mm) | 1           |
| 13         | P16-13     | Spring Washer                     | 彈簧墊片      | 2           |
| 14         | P16-14     | Hose Union                        | 風管接頭      | 1           |
| 15         | P16-15     | Regulator                         | 氣壓錶       | 1           |
| 16         | P16-16     | Hose Union                        | 風管接頭      | 1           |
| 17         | P16-17     | Hose Band                         | 束套        | 1           |
| 18         | P16-18     | Regulator Support                 | 固定座       | 1           |
| 19         | P16-19     | Regulator Support                 | 氟壓錶固定牙套   | 1           |
| 20         | P16-20     | Screw (M5-0.8X9)                  | 螺絲        | 2           |
| 21         | P16-21     | Regulator Support                 | 固定座       | 1           |
| 22         | P16-22     | Spring Washer                     | 彈簧墊片      | 2           |
| 23         | P16-23     | Nut                               | 螺帽        | 2           |
| 24         | P16-24     | Connector                         | 風管接頭      | 1           |
| 25         | P16-25     | Washer                            | 墊片        | 2           |
| 26         | P16-26     | A Gas Cylinder                    | 氟瓶        | 1           |
| 27         | P16-27     | Solenoid Valve, C. Set            | 電磁閥組      | 1           |
| 28         | P16-28     | Regulator, C. Set                 | 氣壓錶組      | 1           |
| 29         | P16-29     | Suction Pipe Unit, C. Set         | 吸管組       | 1           |
| 30         | P16-30     | Suction Pipe Unit                 | 吸管        | 1           |
| 31         | P16-31     | Suction Pipe Unit Support (Upper) | 吸管固定座(上)  | 1           |
| 32         | P16-32     | Screw (M5-0.8X14)                 | 螺絲        | 2           |
| 33         | P16-33     | Washer                            | 墊片        | 2           |
| 34         | P16-34     | Screw (M5-0.8X15.9)               | 螺絲        | 1           |
| 35         | P16-35     | Nut                               | 螺帽        | 1           |
| 36         | P16-36     | Suction Pipe Unit Support (Lower) | 吸管固定座(下)  | 1           |
| 37         | P16-37     | Screw (M5-0.8X11.7)               | 螺絲        | 2           |
| 38         | P16-38     | Washer                            | 墊片        | 1           |
| 39         | P16-39     | Suction Pipe Unit, C. Set         | 整組        | 1           |
|            |            |                                   |           |             |




| THRE       | AD STAND   |                               | 線架組     | <u> </u>    |
|------------|------------|-------------------------------|---------|-------------|
| Ref.       | Parts      |                               |         | Amt.        |
| <u>No.</u> | <u>No.</u> | Description                   | 品名      | <u>Req.</u> |
| 1          | P17-1      | Column Cap                    | 柱頭蓋     | 1           |
| 2          | P17-2      | Column Pipe(Upper)(Short)     | 上線柱(短)  | 1           |
| 3          | P17-3      | Thread Hanger (3 Spools Type) | 3孔過線吊臂  | 2           |
| 4          | P17-4      | Thread Hanger Support         | 過線吊桿固定座 | 4           |
| 5          | P17-5      | Spring Washer                 | 彈簧墊片    | 4           |
| 6          | P17-6      | Screw (M6-1X23)               | 螺絲      | 4           |
| 7          | P17-7      | Thread Guide Holder (Large)   | 大過線桿固定座 | 1           |
| 8          | P17-8      | Thread Guide Arm              | 過線桿連接臂  | 1           |
| 9          | P17-9      | Thread Guide Holder (Small)   | 小過線桿固定座 | 1           |
| 10         | P17-10     | Thread Guide (6 Spool Type)   | 6孔過線桿   | 1           |
| 11         | P17-13     | Nut                           | 螺帽      | 6           |
| 12         | P17-14     | Column Pipe(Upper)            | 上線柱     | 1           |
| 13         | P17-15     | Spool Stand (3 Spool Type)    | 3孔線軸架   | 2           |
| 14         | P17-16     | Column Pipe (Lower)           | 下線柱     | 1           |
| 15         | P17-17     | Washer                        | 垫片      | 2           |
| 16         | P17-18     | Nut                           | 螺帽      | 1           |
| 17         | P17-19     | Spool Cushion                 | 線軸避震座   | 6           |
| 18         | P17-20     | Spool Mat                     | 線軸墊     | 6           |
| 19         | P17-21     | Spool Seat Disc               | 線軸底盤    | 6           |
| 20         | P17-22     | Spool Pin                     | 線軸柱     | 6           |
| 21         | P17-23     | Spring Washer                 | 彈簧墊片    | 6           |




| /CL/       | DEVICE     |                                   | 普遍馬達機構     | <u>    18    </u> |
|------------|------------|-----------------------------------|------------|-------------------|
| Ref.       | Parts      |                                   |            | Amt.              |
|            |            | Description                       | <b>T D</b> |                   |
| <u>No.</u> | <u>No.</u> | Description                       | <u>品 名</u> | <u>Req.</u>       |
| 1          | P18-1      | Belt Pulley Cover                 | 皮帶輪蓋       | I                 |
| 2          | P18-2      | Screw (M4-0.7X5)                  | 螺絲         | 4                 |
| 3          | P18-3      | Washer                            | 墊片         | 4                 |
| 4          | P18-4      | Handwheel                         | 馬達手輪       | 1                 |
| 5          | P18-5      | Nut                               | 螺帽         | 3                 |
| 6          | P18-6      | Spring Washer                     | 彈簧墊片       | 3                 |
| 7          | P18-7      | Washer                            | 墊片         | 3                 |
| 8          | P18-8      | Motor                             | 馬達         | 1                 |
| 9          | P18-9      | Screw (M6-1X15)                   | 螺絲         | 4                 |
| 10         | P18-10     | Washer                            | 墊片         | 4                 |
| 11         | P18-11     | Belt Pulley Cover Bracket (Down)  | 皮帶輪蓋支撐架(下) | 1                 |
| 12         | P18-12     | Belt Pulley Cover Bracket (Upper) | 皮帶輪蓋支撐架(上) | 1                 |
| 13         | P18-13     | Screw (M4-0.7X8)                  | 螺絲         | 1                 |
| 14         | P18-14     | Washer                            | 墊片         | 1                 |
| 15         | P18-15     | Presser Foot Connecting Lever     | 抬壓腳連桿      | 1                 |
| 16         | P18-16     | Iron Hook                         |            | 1                 |
| 17         | P18-17     | Belt                              | 皮帶         | 1                 |
| 18         | P18-18     | Screw (5/16-18X45)                | 螺絲         | 3                 |
| 19         | P18-19     | Driving Lever(Length)             | 馬達驅動連接桿(長) | 1                 |
| 20         | P18-20     | Driving Lever Shaft               | 連接桿軸心      | 1                 |
| 21         | P18-21     | Driving Lever(Short)              | 馬達驅動連接桿(短) | 1                 |
| 22         | P18-22     | Pitman(Length)                    | 馬達吊桿(長)    | 1                 |
| 23         | P18-23     | Screw (M4-0.7X8)                  | 螺絲         | 4                 |
| 24         | P18-24     | Arrow Sticker                     | 箭頭貼紙       | 1                 |



| ATTA       | <u>CHMENT B</u> | OX附   | 件盒           | 19   |
|------------|-----------------|---|--------------|------|
| Ref.       | Parts           |   |              | Amt. |
| <u>No.</u> | <u>No.</u>      | Description                                       | 品名           | Req. |
| 1          | P19-1           | Attachment Box                                    | 附件盒          | 1    |
| 2          | P19-2           | Thread Tweezers                                   | 穿線夾          | 1    |
| 3          | P19-3           | Threading Wire                                    | 穿線鐵絲         | 1    |
| 4          | P19-4           | Hexagonal Wrench (4mm)                            | 內六角板手(4mm)   | 1    |
| 5          | P19-5           | Hexagonal Wrench (3mm)                            | 內六角板手(3mm)   | 1    |
| 6          | P19-6           | Hexagonal Wrench (2.5mm)                          | 內六角板手(2.5mm) | 1    |
| 7          | P19-7           | Screwdriver                                       | 螺絲起子         | 1    |
| 8          | P19-8           | Needle  | 擊針           | 5    |
| 9          | P19-9           | Needle  | 擊針           | 2    |
| 10         | P19-10          | Lower Knife                                       | 下切刀片         | 1    |
| 11         | P19-11          | Upper Knife                                       | 上切刀片         | 1    |
| 12         | P19-12          | Needle Height Gauge                               | 針棒高度調節器      | 1    |
| 13         | P19-13          | Wrench  | 板手           | 1    |
| 14         | P19-14          | Wrench  | 板手           | 1    |
| 15         | P19-15          | Wrench  | 板手           | 1    |
| 16         | P19-16          | Double Side Cut Presser Foot Spring Plate (Left)  | 雙切壓腳彈簧片(左)   | 1    |
| 17         | P19-17          | Double Side Cut Presser Foot Spring Plate (Right) | 雙切壓腳彈簧片(右)   | 1    |
| 18         | P19-18          | Iron Chain  | 鐵鍊           | 1    |
| 19         | P19-19          | Wrench  | 板手           | 1    |
| 20         | P19-20          | Hexagonal Wrench (1.5mm)                          | 內六角板手(1.5mm) | 1    |
| 21         | P19-21          | Folder  | 導布器          | 1    |
| 22         | P19-22          | Screw(1/8-44X8)                                   | 螺絲           | 1    |
| 23         | P19-23          | Band (12cm)                                       | 束帶(12公分)     | 4    |
| 24         | P19-24          | Band (15cm)                                       | 束帶(15公分)     | 2    |





| ACCE            | ESSORIES   |                                 | 附件箱       | <u>20</u>   |
|-----------------|------------|---------------------------------|-----------|-------------|
| Ref.            | Parts      |                                 |           | Amt.        |
| <u>No.</u>      | <u>No.</u> | Description                     | 品名        | <u>Req.</u> |
| 1               | P20-1      | Oiler                           | 油壺        | 1           |
| 2               | P20-2      | Funnel                          | 漏斗        | 1           |
| 3               | P20-3      | Oil                             | 潤滑油       | 1           |
| 4               | P20-4      | Screw, C. Set                   | 螺絲組       | 1           |
| 5               | P20-5      | Screwdriver                     |           | 1           |
| 6               | P20-6      | Pitman(Length)                  | 馬達吊桿(長)   | 1           |
| 7               | P20-7      | Screw, C. Set                   | 螺絲組       | 1           |
| 8               | P20-8      | Supporting Block Rubber Cushion | 車台固定座避震膠墊 | 1           |
| 9               | P20-9      | Parts Book                      | 零件本       | 1           |
| 10              | P20-10     | Machine Cover                   | 防塵罩       | 1           |
| 11              | P20-11     | Instruction Book                |           | 1           |
| 12              | P20-12     | Pedal, C. Set                   | 壓腳踏板組     | 1           |
| 13              | P20-13     | Drier                           | 乾燥劑       | 1           |
| 14              | P20-14     | Thread Stand, C. Set            | 線架組       | 1           |
| 15              | P20-15     | Screw(3/8-16X45)                | 螺絲        | 2           |
| 16              | P20-16     | Spring Washer                   |           | 2           |
| 17              | P20-17     | Washer                          | 墊片        | 2           |
| 18              | P20-18     | Screw(5/16-18X100)              | 螺絲        | 4           |
| 19              | P20-19     | Washer                          | 墊片        | 4           |
| <u>20</u><br>21 | P20-20     | Nut                             | 螺帽        | 8           |
| 21              | P20-21     | Spring Washer                   | 彈簧墊片      | 4           |
| 22              | P20-22     | Washer                          | 墊片        | 4           |



| Ref.       | Parts      |                           |       | Amt.        |
|------------|------------|---------------------------|-------|-------------|
| <u>No.</u> | <u>No.</u> | Description               | 品名    | <u>Req.</u> |
| 1          | P21-1      | Suction Pipe Unit, C. Set | 吸布屑整組 | 1           |
| 2          | P21-2      | Suction Pipe Unit, C. Set | 吸管組   | 1           |

## 22 D007-3





| EXCL       | LUSIVE PA  | RTS                               | 貼條專用零件   | 22          |
|------------|------------|-----------------------------------|----------|-------------|
| Ref.       | Parts      |                                   |          | Amt.        |
| <u>No.</u> | <u>No.</u> | Description                       | 品名       | <u>Req.</u> |
| 1          | P22-1      | Tape Reel Support                 | 支撐架      | 1           |
| 2          | P22-2      | Screw(9/64-40X12)                 | 螺絲       | 2           |
| 3          | P22-3      | Rubber Cushion                    | 橡膠墊片     | 2           |
| 4          | P22-4      | Tape Reel Shaft                   | 支撐桿      | 1           |
| 5          | P22-5      | Nut                               | 螺母       | 1           |
| 6          | P22-6      | Tape Base                         | 塑膠盤      | 2           |
| 7          | P22-7      | Tape Reel Spring                  | 彈簧       | 1           |
| 8          | P22-8      | Collar                            | 軸環       | 1           |
| 9          | P22-9      | Screw(9/64-40X7.5)                | 螺絲       | 1           |
| 10         | P22-10     | Tape Guide                        | 導布片      | 1           |
| 11         | P22-11     | Screw(M4-0.7X5)                   | 螺絲       | 1           |
| 12         | P22-12     | Frame Chip Guard                  | 防護蓋      | 1           |
| 13         | P22-13     | Folder                            | 喇叭       | 1           |
| 14         | P22-14     | Screw(9/64-40X4.5)                | 螺絲       | 2           |
| 15         | P22-15     | Frame Chip Guard Spring           | 彈簧       | 1           |
| 16         | P22-16     | Screw(M5-0.8X8.7)                 | 螺絲       | 1           |
| 17         | P22-17     | Presser Foot, C. Set              | 壓腳組      | 1           |
| 18         | P22-18     | Presser Foot                      | 壓腳       | 1           |
| 19         | P22-19     | Screw(11/64-40X6.3)               | 螺絲       | 1           |
| 20         | P22-20     | Presser Foot Attach Piece (Right) | 壓整連接片(右) | 1           |
| 21         | P22-21     | Presser Foot Attach Piece (Left)  | 壓整連接片(左) | 1           |
| 22         | P22-22     | Screw(3/32-56X1.5)                | 螺絲       | 4           |
| 23         | P22-23     | Lower Knife                       | 下切刀      | 1           |
| 24         | P22-24     | Lower Knife Clamp                 | 下切刀夾板    | 1           |
| 25         | P22-25     | Screw(1/8-44X3.5)                 | 螺絲       | 1           |
| 26         | P22-26     | Yielding Secion Spring            | 小壓具彈簧    | 1           |
| 27         | P22-27     | Yielding Secion                   | 小壓具      | 1           |
| 28         | P22-28     | Screw(1/8-44X5)                   | 螺絲       | 1           |
| 29         | P22-29     | Presser Foot Spring Plate (Left)  | 壓腳彈簧片(左) | 1           |
| 30         | P22-30     | Presser Foot Spring Plate (Right) | 壓腳彈簧片(右) | 1           |
| 31         | P22-31     | Screw(3/32-56X2)                  | 螺絲       | 2           |
| 32         | P22-32     | Spring Plate Holder               | 彈簧片固定鐵勾  | 1           |
| 33         | P22-33     | Chip Guard                        | 切角防護片    | 1           |
| 34         | P22-34     | Chip Guard Spring                 | 切角防護片彈簧  | 1           |
| 35         | P22-35     | Screw(1/8-44X3.4)                 | 螺絲       | 1           |
| 36         | P22-36     | Frame chip Guard Washer           | 墊片       | 1           |

| Main Parts   |             |         | a jo       |         | Co S       |
|--------------|-------------|---------|------------|---------|------------|
| Models       | 押具整組        | 押具押板(左) | 押具押板(右)    | 押具押板(左) | 押具押板(右)    |
| D007-01-452  | P6-14(452)  | P6-36   | P6-37(452) | P6-47   | P6-48(452) |
| D007-02-452  | P12-1(452)  | P12-24  | P12-25     | P12-43  | P12-44     |
| D007-01-460  | P6-14(460)  | P6-36   | P6-37(460) | P6-47   | P6-48(460) |
| D007-02-460  | P12-1(460)  | P12-24  | P12-25     | P12-43  | P12-44     |
| D007H-01-452 | P6-14(452)  | P6-36   | P6-37(452) |         |            |
| D007H-02-452 | P12-1H(452) | P12-24H | P12-25H    |         |            |
| D007H-01-460 | P6-14(460)  | P6-36   | P6-37(460) |         |            |
| D007H-02-460 | P12-1H(460) | P12-24H | P12-25H    |         |            |
| D007-03-452  | P22-17      | P22-29  | P22-30     |         |            |
| D007-03-460  | //          | //      | //         |         |            |
|              |             |         |            |         |            |

| Main Parts   | 00000<br>0 00<br>0 00<br>0 00<br>0 00<br>0 00<br>0 00<br>0 |             | C. C |      | C)     |
|--------------|--|-------------|--|------|--------|
| Models       | 針鎦   | 針板          | 導布器                                      | 勾夾襯套 | 押具輔助座  |
| D007-01-452  | P5-40(452)   | P5-44(452)  |  | P7-7 | P6-34  |
| D007-02-452  | "  | P12-42(452) | P12-31                                   | //   | P12-21 |
| D007-01-460  | P5-40(460)   | P5-44(460)  |  | 11   | P6-34  |
| D007-02-460  | 11   | P12-42(460) | P12-31                                   | //   | P12-21 |
| D007H-01-452 | P5-40(452)   | P5-44(452)  |  | //   | P6-34  |
| D007H-02-452 | 11   | P12-42(452) | P12-31H                                  | //   | P12-21 |
| D007H-01-460 | P5-40(460)   | P5-44(460)  |  | //   | P6-34  |
| D007H-02-460 | 11   | P12-42(460) | P12-31H                                  | "    | P12-21 |
| D007-03-452  | P5-40(452)   | P5-44(452)  |  | "    | P22-27 |
| D007-03-460  | P5-40(460)   | P5-44(460)  |  | //   | //     |
|              |  |             |  |      |        |

## STITCH LENGTH SPECIFICATION TION

針距規格表

|        |        |               | OF TO    |          |         |
|--------|--------|---------------|----------|----------|---------|
| 上刀片    | 下刀片    | 下刀夾板          | 上飾線勾針(短) | 上飾線勾針(長) | 導布板     |
| P7-42  | P7-40  | P6-31         | P6-25    | P6-22    |         |
| //     | //     | P12-18        | P12-12   | P12-9    | P12-22  |
| //     | //     | P6-31         | P6-27    | P6-24    |         |
| //     | //     | P12-18        | P12-12   | P12-9    | P12-22  |
| P7-42H | //     | <b>P6-3</b> 1 | P6-25    | P6-22    |         |
| //     | //     | //            | P12-12   | P12-9    | P12-22H |
| //     | //     | //            | P6-25    | P6-22    |         |
| //     | //     | //            | P12-12   | P12-9    | P12-22H |
| P7-42  | P22-23 | P22-24        |          |          |         |
| //     | //     | //            |          |          |         |
|        |        |               |          |          |         |

| La |        |        |       |        |       |
|---|--------|--------|-------|--------|-------|
| 針板舌                                       | 前送齒    | 後送齒    | 針檔(前) | 針檔(後)  | 下飾線勾針 |
| P5-45(452)                                | P10-7  | P10-8  | P8-45 | P10-10 | P8-43 |
| "   | //     | P12-41 | //    |        | //    |
| P5-45(460)                                | "      | P10-8  | "     | //     | "     |
| "   | 11     | P12-41 | "     | "      | "     |
| P5-45(452)                                | P10-54 | P10-53 | "     | //     | //    |
| //  | P12-56 | P12-55 | "     | 11     | "     |
| P5-45(460)                                | P10-54 | P10-53 | "     | //     | //    |
| "   | P12-56 | P12-55 | "     | 11     | //    |
| P5-45(452)                                | P10-7  | P10-8  | "     | "      | 11    |
| P5-45(460)                                | "      | //     | "     | 11     | //    |
|   |        |        |       |        |       |

23





## 高林股份有限公司 KAULIN MFG. CO., LTD.